Chronicle of Aquatic Science

Journal homepage: www.chronicleofaquaticscience.in

Viral Vector Technologies Transforming Global Aquaculture Practices

Shawna Yadav[1] and Santhiyagu Prakash[1]*

[1]*Institute of Fisheries Post Graduate Studies (IFPGS), Tamilnadu Dr. J. Jayalalithaa Fisheries University (TNJFU), OMR campus, Vaniyanchavadi, -Chennai-603 103*

ARTICLE INFO

Key words:

Viral vectors,
Aquaculture innovation,
Sustainable aquaculture,
Genetic technologies,
Disease management

ABSTRACT

Aquaculture, the cultivation of fish, crustaceans, mollusks, and aquatic plants, is essential for global food security and economic growth, yet it faces persistent challenges in disease management, growth optimization, and immune enhancement. Traditional methods often fall short, driving the need for innovative solutions. Viral vectors, originally developed in molecular biology, are emerging as transformative tools in aquaculture, offering the ability to deliver beneficial genes into aquatic organisms to address these challenges. By enabling precise genetic modifications, viral vectors provide targeted solutions for combating diseases, promoting faster growth, and strengthening immunity in farmed species. This innovation not only improves health and productivity but also aligns with the industry's push towards sustainability and efficiency. However, integrating viral vector technology into aquaculture involves navigating technical and regulatory hurdles. Despite these challenges, their potential to revolutionize the field is undeniable, offering a promising approach to ensure the industry's long-term viability while meeting the rising global demand for sustainable seafood.

Introduction

Aquaculture, the farming of aquatic species such as fish, crustaceans, mollusks, and plants, is essential for addressing global food security and fostering economic growth. With nearly half of the world's seafood supply now originating from aquaculture, this sector is vital for meeting the rising demand for sustainable and nutritious food sources (FAO, 2021). However, the industry continues to face persistent challenges, including frequent disease outbreaks, suboptimal growth rates, and the vulnerability of aquatic organisms to changing environmental conditions. While traditional methods like antibiotics, vaccination, and selective breeding have contributed to addressing these issues, their limitations often necessitate innovative solutions to ensure sustainable development and higher productivity.

One promising innovation is the use of viral vectors, which are engineered viruses designed to deliver specific genetic material into host cells. Initially developed for human gene therapy, viral vectors have shown great potential in improving the health and resilience of aquatic species by introducing targeted genetic modifications (Kay et al., 2001).

These tools are particularly effective in combating diseases, a significant barrier to aquaculture growth. By delivering genes that encode antimicrobial peptides or immune-boosting proteins, viral vectors can significantly enhance the immune response of farmed species, reducing mortality and decreasing the need for antibiotics, thereby mitigating the risk of antimicrobial resistance (Chinchar et al., 2011; Lilley et al., 2017). Furthermore, viral vectors can enhance growth rates and feed efficiency by introducing genes that regulate metabolic functions, while also improving stress tolerance, which helps aquatic organisms thrive under fluctuating environmental conditions (Elisabetta et al., 2018; Warnock et al., 2011). This advanced approach holds the potential to transform aquaculture into a more sustainable and productive industry.

*** Corresponding author.**
E-mail address: **algaprakash@gmail.com (Santhiyagu Prakash).**

Received 13 December 2024; Received in revised form 27 January 2025; Accepted 30 January 2025

Available online 20 Feb, 2025

This is an open access article under the terms of the https://creativecommons.org/licenses/by/4.0/ License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.
© 2025 Chronicle of Aquatic Science.

Fundamentals of Viral Vectors

Viral vectors are specialized tools engineered from viruses to deliver genetic material into cells with high precision and efficiency (Fig.1). By capitalizing on the natural ability of viruses to enter host cells, these vectors have become invaluable in gene delivery applications across fields such as medicine, agriculture, and aquaculture (Kay et al., 2001). To ensure safety, pathogenic components responsible for replication and virulence are removed or rendered inactive, transforming the virus into a safe and effective delivery vehicle. This modification allows viral vectors to transport and integrate desired genetic material into target cells without the risks associated with their natural infectious properties. Furthermore, their design emphasizes efficiency and specificity through the optimization of viral capsids or envelopes for effective interaction with target cell receptors, enabling precise delivery with minimal off-target effects (Verma and Weitzman, 2005).

Different viral vectors are chosen based on their unique properties and application requirements. Adenoviral vectors, for instance, are well-suited for short-term gene delivery due to their ability to infect both dividing and non-dividing cells, while lentiviral vectors integrate into the host genome, providing stable, long-term genetic expression (Nayerossadat et al., 2012). Despite their advantages, viral vectors face challenges such as immune responses, toxicity, and regulatory hurdles. To overcome these limitations, focuses on developing non-immunogenic capsids, improving stability, and enhancing biosafety protocols. These advancements have expanded the potential of viral vectors to address challenges in aquaculture, where they show promise for improving disease resistance, promoting growth, and increasing stress tolerance in aquatic species, paving the way for sustainable and efficient farming practices (Alkhalil and Sleiman, 2020).

How Viral Vectors Work

Viral vectors are engineered viruses designed to deliver genetic material into target cells, leveraging their natural ability to infect cells with high precision and efficiency (Table.1). To ensure safety, these vectors are modified to remove pathogenic components, such as replication and virulence genes, while retaining their capacity to transfer therapeutic or experimental genes (Kay et al., 2001; Verma and Weitzman, 2005). The process begins with the vector attaching to specific receptors on the target cell surface, followed by entry through endocytosis or membrane fusion, depending on the vector type. Once inside, the viral genetic material is released into the cytoplasm or transported to the nucleus for integration into the host genome or episomal maintenance. Retroviral and lentiviral vectors integrate their payload into the genome, enabling long-term gene expression, while adenoviral vectors remain episomal, providing high-level but transient expression, ideal for short-term applications (Nayerossadat et al., 2012). Different vector types, such as adenoviral, lentiviral, and adeno-associated viral (AAV) vectors, are selected based on application-specific requirements like transgene expression, immunogenicity, and stability. For instance, AAV vectors are highly efficient and exhibit low immunogenicity, making them suitable for therapeutic uses (Daya and Berns, 2008). Advances in engineering, such as capsid modifications, have improved targeting specificity, reduced immune responses, and enhanced delivery efficiency, enabling applications in fields like gene therapy for genetic diseases and aquaculture, where they hold promise for enhancing disease resistance and productivity (Nayerossadat et al., 2012; Alkhalil and Sleiman, 2020).

Uses and Therapeutic Effects

Viral vectors are revolutionizing aquaculture by providing innovative solutions to challenges like disease management, growth enhancement, and environmental stress tolerance. These engineered viruses deliver specific genes into target cells with precision, enabling the introduction of traits that improve health and productivity. A significant application lies in combating diseases caused by pathogens such as viruses, bacteria, and parasites, which often lead to severe economic losses and high mortality rates in farmed species. Viral vectors can deliver genes encoding antimicrobial peptides or immune-boosting proteins, equipping aquatic organisms with enhanced defences against infections (Table.1). This approach reduces dependency on antibiotics, thereby minimizing the risks associated with antimicrobial resistance. Notable examples include the use of viral vectors to introduce genes that protect fish from viral hemorrhagic septicemia virus (VHSV) and bacterial kidney disease (BKD), demonstrating their potential in disease prevention (Kay et al., 2001; Verma and Weitzman, 2005).

In addition to disease resistance, viral vectors are being used to improve growth performance and feed efficiency by targeting metabolic pathways or promoting hormone production. These genetic modifications allow aquaculture systems to achieve higher productivity while reducing environmental impacts, such as the overuse of feed. Furthermore, viral vectors can enhance stress tolerance by introducing genes that help aquatic organisms adapt to environmental fluctuations, including changes in temperature or salinity. While challenges such as vector specificity and regulatory compliance remain, ongoing advancements in biotechnology are refining the safety and efficacy of viral vectors. These tools are rapidly becoming a cornerstone for sustainable aquaculture practices, ensuring both economic viability and environmental stewardship (Nayerossadat et al., 2012; Alkhalil and Sleiman, 2020).

Table 1. Traditional and modern approaches to disease control measure in aquaculture

Category	Traditional Approaches	Modern Approaches with Viral Vectors	Reference
Disease Prevention	Biosecurity measures (quarantine, sanitation)	Genetic modification of species for enhanced disease resistance	Subasinghe et al., (2001)
	- Use of antibiotics and chemicals	- Development of viral vector- based vaccines	Cabello, (2006); Adams and Thompson, (2011)
Vaccination	- Inactivated or attenuated pathogen vaccines	- DNA vaccines using viral vectors	Brudeseth et al., (2013)
	- Subunit vaccines	- RNA interference (RNAi) for gene silencing	Santiago et al., (2020)
Disease Treatment	- Antibiotic treatments	- Antiviral therapies using viral vectors to target specific pathogens	Cabello, (2006); Tiwari et al., (2021)
	- Chemical treatments (e.g., formalin, malachite green)	- CRISPR/Cas9 for targeted genome editing	Tiwari et al., (2021)
Early Detection	- Visual inspections and histopathology	- Molecular diagnostics (PCR, qPCR)	OIE, (2019)
	- Immunoassays (ELISA)	- Real-time monitoring using biosensors	Adams and Thompson, (2011)
Environmental Control	Water quality management (filtration, aeration)	- Bioremediation using genetically modified organisms	Bondad-Reantaso et al., (2005)
	- Physical barriers to prevent pathogen entry	- Integrated multi-trophic aquaculture (IMTA) systems with biosecurity	Subasinghe et al., (2001)
Growth Enhancement	- Use of feed additives (Probiotics, Prebiotics)	- Gene editing for growth hormone regulation using viral vectors	Santiago et al., (2020)
	- Selective breeding programs	- Enhanced feed conversion efficiency through genetic modifications	Tiwari et al., (2021)

Growth Promotion via Viral Vector Technologies

Viral vector technologies are transforming aquaculture by introducing precise genetic tools that enhance growth, optimize productivity, and improve resilience in aquatic species. These engineered viruses are designed to deliver specific genes regulating growth hormones and metabolic pathways, resulting in substantial improvements in growth rates and feed efficiency. Unlike conventional methods such as chemical additives or dietary supplements, viral vectors provide a long-lasting and sustainable solution. By incorporating genes like insulin-like growth factor (IGF) or growth hormone, they significantly increase biomass production while reducing feed costs and the environmental impact of farming practices (Kay et al., 2001; Verma and Weitzman, 2005). Furthermore, viral vectors enhance the ability of aquatic species to cope with environmental stressors, such as temperature changes, salinity fluctuations, and oxygen limitations. By delivering stress-tolerance genes, these vectors ensure that organisms maintain optimal metabolic activity even under challenging conditions, promoting consistent growth and survival. However, achieving widespread adoption requires overcoming challenges like precise gene targeting, minimizing immune responses, and addressing complex regulatory frameworks. Ongoing advancements in vector engineering and biotechnology are gradually resolving these issues, making viral vectors a key component of sustainable aquaculture practices capable of meeting the growing global demand for seafood while safeguarding environmental health (Nayerossadat et al., 2012; Alkhalil and Sleiman, 2020).



Figure 1. Scheme for viruses converting into a vector

Challenges and Future Directions in Viral Vector Use in Aquaculture Practice

Viral vectors are a promising innovation in aquaculture, offering solutions for disease management, growth enhancement, and stress resilience in aquatic species. However, their widespread application is hindered by challenges such as achieving species-specific targeting to prevent unintended effects on non-target organisms and ecosystems, and addressing immune responses that may neutralize the vectors or trigger adverse reactions. Advances in non-immunogenic capsid design and precise delivery mechanisms are essential to overcoming these issues (Kay et al., 2001; Verma and Weitzman, 2005). Additionally, environmental factors like temperature variations, salinity, and water dynamics affect vector stability, necessitating the development of robust and durable delivery platforms. Economic and regulatory barriers further limit adoption, as high production costs and varying global regulations create significant obstacles. Future innovations, such as integrating viral vectors with gene-editing tools like CRISPR-Cas systems, and developing hybrid systems that combine viral and non-viral delivery technologies, could enhance precision, efficiency, and scalability. Collaborative efforts among researchers, policymakers, and industry stakeholders are crucial to refining these technologies and addressing ethical and practical challenges, paving the way for viral vectors to become a sustainable and transformative tool in aquaculture practices (Nayerossadat et al., 2012; Alkhalil and Sleiman, 2020).

Conclusion

Viral vector technologies hold transformative potential for aquaculture, offering innovative solutions to persistent challenges. While issues such as immune responses, environmental stability, and regulatory compliance must be resolved, ongoing research and technological advancements promise to overcome these barriers. The integration of viral vectors into aquaculture practices could lead to more sustainable, productive, and resilient systems, addressing the growing demand for seafood while safeguarding environmental integrity. With continued investment in research and development, viral vectors are poised to become a cornerstone of modern aquaculture, benefiting both industry and global food security.

Reference

Adams, A., and Thompson, K.D. (2011). Development of vaccines for aquaculture: opportunities and challenges. Fish and Shellfish Immunology. 30(4-5), 868-876.

Alkhalil, A., and Sleiman, R.J. (2020). Viral vector delivery systems: Advancements in non-immunogenic platforms. Gene Therapy and Regulation. 29(2), 45-60.

Bondad-Reantaso, M.G., et al., (2005). Disease and health management in asian aquaculture. Veterinary Parasitology. 132(3-4), 249-272.

Brudeseth, B.E., Skall, H.F., Evensen, O., Von Siebenthal, B., Breck, O., and Olesen, N.J. (2013). Status and future perspectives of vaccines for fish. Vaccine. 31(15), 2992-3001.

Cabello, F.C. (2006). Heavy use of prophylactic antibiotics in aquaculture: a growing problem for human and animal health and for the environment. Environmental Microbiology. 8(7), 1137-1144.

Chinchar, V.G., Yu, K.H., and Jancovich, J.K. (2011). The molecular biology of frog virus 3 and other iridoviruses infecting cold-blooded vertebrates. Viruses. 3(10), 1959-1985.

Elisabetta, T., Salvador, A., and Zitti, M. (2018). Viral vector-mediated gene transfer in aquaculture: Emerging applications and challenges. Aquaculture Research. 49(5), 1748–1764.

FAO. (2021). The State of World Fisheries and Aquaculture 2021: Sustainability in Action. Rome: Food and Agriculture Organization of the United Nations.

Kay, M.A., Glorioso, J.C., and Naldini, L. (2001). Viral vectors for gene therapy: The art of turning infectious agents into vehicles of therapeutics. Nature Medicine. 7(1), 33-40.

Lilley, J.H., Kenward, M.A., and Callinan, R.B. (2017). Antimicrobial resistance in aquaculture: An emerging issue. Reviews in Aquatic Animal Health. 29(3), 223-232.

Nayerossadat, N., Maedeh, T., and Ali, P.A. (2012). Viral and nonviral delivery systems for gene delivery. Advanced Biomedical Research. 1(1), 27.

OIE (World Organisation for Animal Health). (2019). Aquatic Animal Health Code. Retrieved from OIE website.

Santiago, T.C., Campos, W. L., and Eusebio, P.S. (2020). Advances in the use of viral vectors for gene therapy in aquaculture. Fish & Shellfish Immunology, 98, 908-918.

Subasinghe, R.P., Shariff, M., and Arthur, J.R. (2001). Health management in Asian aquaculture. FAO Fisheries Technical Paper. 406, 61-72.

Tiwari, R., Chaturvedi, V.K., Sagar, N., and Singh, V. (2021). Viral vectors and their applications in aquaculture: An update. Aquaculture. 534, 736314.

Verma, I.M., Weitzman, M.D. (2005). Gene therapy: Twenty-first century medicine. Annual Review of Biochemistry. 74, 711-738.

Warnock, J.N., Daigre, C., Al-Rubeai, M. (2011). Introduction to viral vectors. Methods in Molecular Biology. 737:1-25. **7.**